

Cymoxanil 8% + Mancozeb 64% WP SYSTEMIC FUNGICIDE

Caution: Not to be used on crops other than specified on this label/leaflet.
It is a preventive & locally systemic fungicide used for the control of following diseases of Grapes, Potato, Tomato & Cucumber.

Recommendation for Use: Recommendations for use as foliar spray using high volume spraying equipment, such as knapsack sprayer, rocking sprayer, etc., are as under:-

Crop	Diseases	Fungi	Dosage/Hectare	Waiting Period (g/ha)	Formulation	Dilution (l/ha)	Water (l/ha)	Days
Grapes	Downy mildew	Plasmopara viticola	1440	2000	500-1000	10		
Potato	Late blight	Phytophthora infestans	1080	1500	500-750	10		
Tomato	Late blight	Phytophthora infestans	1080	1500	500-750	10		
Cucumber	Downy mildew	Pseudoperonospora cubensis	1080	1500	500-600	10		

Compatibility: It is compatible with commonly used insecticides and fungicides. Do not mix with products of alkaline nature. In case of Cucumber we do not recommend tank mix of other commonly used fungicide & fertilizers.

Phytotoxicity: It is not phytotoxic if used as per recommendation.

Application: It should be applied preventively to be repeated at 10-14 days interval depending on prevailing weather conditions and disease pressure.

Precautions: 1. Read and follow all instructions on the label and leaflet very carefully. Save the container with label to the physician in case of accidental poisoning. 2. Do not inhale the contents. Wear rubber gloves, goggles, facemask and protective clothing while handling. Avoid remaining in drift of spray by applying the fungicide with the wind. 3. Do not eat, drink, smoke or chew betel leaves while spraying. 4. When spraying, take care of spray drift. Do not spray if windy conditions exist. 5. Do not fill the spray tank beyond 3/4th of its capacity. Clean the blocked nozzle by a thin wire or pin and never by blowing the same. 6. In case of any spillage of the body it should be washed with plenty of water. 7. Keep and wash personal protective equipment separately from other laundry. 8. Always change clothing and take a bath as soon as fungicidal treatment is completed. 9. Call a physician immediately if any symptoms of poisoning appear in a person who is using or has recently used the fungicide.

Storage: 1. Do not store or consume food, drink or tobacco in areas where they become contaminated with this material. 2. Store the fungicide in its original pack tightly closed, away from the reach of children, irresponsible persons and livestock in a separate room, away from the rooms used for storing foodstuffs, animal feeds and other articles, under lock and key. 3. The rooms or premises meant for storing shall be well built, cool, dry, well lit and ventilated and should be of sufficient dimensions to avoid contamination with vapour. 4. Transport the fungicide in such manner so as not to come in contact with foodstuffs and animals feed.

Spray Tank Clean Out : 1. Completely drain equipment immediately after application. 2. Thoroughly rinse sprayer and flush the hoses, boom and nozzles with clean water. 3. Loosen and physically remove visible deposits. 4. Flush the entire system with clean water. 5. Do not clean near wells, water sources.

Disposal of Containers: 1. Empty containers should not be re-used. 2. Destroy the empty container after use and bury them 1/2 meter deep in soil away from habitation. 3. Surplus spray material or washing from machines and containers should be disposed off in a safe manner so as to prevent environmental and water pollution.

Chemical Composition: % w/w
Cymoxanil a.i. 8.0
Mancozeb a.i. 64.0

Sodium lignosulfonate 6.9
Alkylated Naphthalene Sulfonate 1.1

Sodium dodecyl benzene sulfonate 1.4
Zinc sulfate, monohydrate 3.0

Hexamethylene tetra amine 1.7
Sucrose Q.S.

Total 100.0

Symptoms of Poisoning: 1. Ingestion of this material may cause temporary central nervous system depression with dizziness, confusion, in coordination, drowsiness or unconsciousness and weight loss. 2. Inhalation or eye contact may cause eye irritation with discomfort, tearing, pain or blurred vision, irritation of the nose and throat with sneezing, sore throat or running nose and in coordination. 3. Skin contact may cause irritation with itching, burning, redness, swelling, discomfort or rash.

First Aid: 1. In case of contact with eyes, immediately flush with plenty of water for at least 15 minutes. Call a physician. 2. If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician. 3. If swallowed, immediately give 1 to 2 glasses of water and induce vomiting. Never give anything by mouth to an unconscious person. Call a physician. 4. If on skin, wash with plenty of soap and water. Wash contaminated clothes before reuse.

Antidote: No specific antidote available, treat symptomatically.

Warranty Notice: It should be used only in accordance with the recommendation on this label. The company will not be responsible for losses or damages resulting from use of this product in a manner of specifically recommended by it.

সৈমেক্সনিল ৮% + মানকোজেব ৬৪% ডিল্যু.পি অত্রপ্রাচী ফ্লোরিনাশক

কাউন্টার: কেলি / প্রক্ষেপণ কেলি / প্রক্ষেপণ কেলি মাত্রায় কাউন্টার।

যে ক্ষেত্রে, কাউন্টার কেলি দ্রুত প্রক্ষেপণ কেলি প্রযোজ্য হবে। কাউন্টার কেলি প্রযোজ্য হবে।

কাউন্টার কেলি প্রযোজ্য হবে। কাউন্টার কেল

